



MIAO FENG
BUILDING MATERIALS

August 2025

Superior Craftsmanship



China | Aluminum Doors and Windows Manufacturers

www.miaofengdoors.com | +86 180.2277.5361

PRODUCT CATALOG

SLIDING DOOR SERIES

16 Ultra-Slim Series Aluminum Glass Sliding Door	5
48 Light Series Aluminum Glass Sliding Door	5
68 Light Series Aluminum Glass Sliding Door	5
68 Heavy Series Aluminum Glass Sliding Door	5
73 Heavy Series Aluminum Glass Sliding Door	6
100 Heavy Series Aluminum Glass Sliding Door.....	6
120 Ultra-slim Series Aluminum Glass Sliding Door	6
150 Ultra-slim Series Aluminum Glass Sliding Door	6

FOLDING DOOR SERIES

18 Ultra-Slim Series Aluminum Glass Folding Door	8
50 Series Aluminum Glass Folding Door	8
68 Series Aluminum Glass Folding Door	8
75 Series Aluminum Glass Folding Door	8
80 Series Aluminum Glass Folding Door	9
120 Series Aluminum Glass Folding Door	9

HINGED DOOR SERIES

18 Ultra-Slim Aluminum Glass Hinged Door	11
30 Series Aluminum Glass Hinged Door	11
68 Series Aluminum Glass Hinged Door	11
75 Series Aluminum Glass Hinged Door	11

PIVOT DOOR SERIES

18 Series Ultra-slim Glass Pivot Door	13
55 Series Glass Pivot Door	13
80 Series Glass Pivot Door	13
120 Series Glass Pivot Door	13

COMMERCIAL STORE FRONT DOOR SERIES

16 Ultra-Slim Series Commercial Doors.....	15
30 Series Commercial Storefront Doors.....	15
55 Series Commercial Storefront Doors.....	15
80 Series Commercial Storefront Doors.....	15

COMMERCIAL AUTOMATIC SLIDING DOOR SERIES

Frameless Glass Automatic Sliding Door.....	17
18 Series Ultra-slim Automatic Door	17
55 Series Automatic Door	17
80 Series Automatic Door	17

WINDOWS SERIES

55 Series Casement Windows.....	19
67 Series Casement Windows.....	19
70 Series Casement Windows.....	19
80 Series Casement Windows.....	19
108 Series Casement Windows	20
120 Series Casement Windows	20
80 Series Sliding Windows.....	20
120 Series Sliding Windows.....	21
115 Series Sliding Windows.....	21
125 Series Sliding Windows.....	21
128 Series Sliding Windows.....	21
55 Series Aluminum Awning Windows.....	22
67 Series Aluminum Awning Windows.....	22
70 Series Aluminum Awning Windows.....	22
80 Series Aluminum Awning Windows.....	23
108 Series Aluminum Awning Windows.....	23
120 Series Aluminum Awning Windows.....	23
50 Series Folding Window	24
68 Series Folding Window	24
75 Series Folding Window	24
60 Series Vertical Folding Window.....	24
Customizable Special-Shaped Windows	25
Pass-Through Window	25

SLIDING DOOR SERIES



Note:

1. We do not have inventory; all products are custom-made. Production takes approximately 25-30 business days.
2. Our factory supports customizing any profile color and various glass configurations. If you require a different configuration, please contact our experienced sales staff.



WhatsApp
+86 180.2277.5361



WeChat
ID:MiaoFeng2305



Model/Collection/Dimensions

Finish

Glass



16 Ultra-Slim Series Aluminum Glass Sliding Door

Material: non-broken bridge aluminum
Thickness: 2.0mm
Applicable scenarios: interior
Track: Top track or bottom track can be selected

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
8mm clear tempered glass



48 Light Series Aluminum Glass Sliding Door

Material: non-broken bridge aluminum
Thickness: 1.5--1.8mm
Applicable scenarios: interior or exterior
Track: with bottom track or without

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+12Ar+5mm clear
tempered glass



68 Light Series Aluminum Glass Sliding Door

Material: non-broken bridge aluminum
Thickness: 1.5--1.8mm
Applicable scenarios: interior or exterior
Track: with bottom track or without

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+12Ar+5mm clear
tempered glass



68 Heavy Series Aluminum Glass Sliding Door

Material: non-broken bridge aluminum
Thickness: 2.0mm
Applicable scenarios: interior or exterior
Track: with bottom track or without

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+15Ar+5mm clear
tempered glass



Model/Collection/Dimensions

Finish

Glass



73 Heavy Series Aluminum Glass Sliding Door

Material: broken bridge aluminum

Thickness: 2.0mm

Applicable scenarios: exterior

Advantage: thermal insulation

Track: 3 different bottom tracks available

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+15Ar+5mm clear
tempered glass



100 Heavy Series Aluminum Glass Sliding Door

- 1 Material: non-broken bridge aluminum
Thickness: 2.0mm

- 2 Material: non-broken bridge aluminum
Thickness: 2.0mm

Applicable scenarios: exterior

Track: 3 different bottom tracks available

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+15Ar+5mm clear
tempered glass



120 Ultra-slim Series Aluminum Glass Sliding Door

Material: broken bridge aluminum

Thickness: 2.0-4.0mm

Applicable scenarios: exterior

Advantage: Thermal insulation

Track: 3 different bottom tracks available

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+15Ar+5mm clear
tempered glass



150 Ultra-slim Series Aluminum Glass Sliding Door

Material: broken bridge aluminum

Thickness: 3.0-8.0mm

Applicable scenarios: exterior

Advantage: Thermal insulation

Track: 2 different bottom tracks available

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+15Ar+5mm clear
tempered glass

FOLDING DOOR SERIES



Note:

1. We do not have inventory; all products are custom-made. Production takes approximately 25-30 business days.
2. Our factory supports customizing any profile color and various glass configurations. If you require a different configuration, please contact our experienced sales staff.



WhatsApp
+86 180.2277.5361




WeChat
ID:MiaoFeng2305



Model/Collection/Dimensions

Finish

Glass



18 Ultra-Slim Series Aluminum Glass Folding Door

Material: non-broken bridge aluminum
Thickness: 2.0mm
Applicable scenarios: interior
Track: 3 different bottom tracks available

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
8mm clear tempered glass



50 Series Aluminum Glass Folding Door

Material: non-broken bridge aluminum
Thickness: 1.8-2.0mm
Applicable scenarios: interior or exterior
Track: 2 different bottom tracks available

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+9Ar+5mm clear
tempered glass



68 Series Aluminum Glass Folding Door

- 1 Material: non-broken bridge aluminum
Thickness: 1.6mm / 2.0mm available
- 2 Material: broken bridge aluminum
Thickness: 2.0mm

Applicable scenarios: interior or exterior

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+20Ar+5mm clear
tempered glass



75 Series Aluminum Glass Folding Door

- 1 Material: non-broken bridge aluminum
Thickness: 2.0mm
- 2 Material: broken bridge aluminum
Thickness: 2.0mm

Applicable scenarios: interior or exterior

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+25Ar+5mm clear
tempered glass



Model/Collection/Dimensions

Finish

Glass



80 Series Aluminum Glass Folding Door

1 Material: non-broken bridge aluminum
Thickness: 2.0mm

2 Material: broken bridge aluminum
Thickness: 2.0mm

Applicable scenarios: exterior

Available in custom sizes.



Matte black




Sand gray



glossy white

Standard Configuration:
5+25Ar+5mm clear
tempered glass



120 Series Aluminum Glass Folding Door

Material: non-broken bridge aluminum
Thickness: 3.0mm

The maximum height of the door is 6 meters

Applicable scenarios: exterior

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+25Ar+5mm clear
tempered glass

HINGED DOOR SERIES



Note:

1. We do not have inventory; all products are custom-made. Production takes approximately 25-30 business days.
2. Our factory supports customizing any profile color and various glass configurations. If you require a different configuration, please contact our experienced sales staff.



WhatsApp
+86 180.2277.5361



WeChat
ID:MiaoFeng2305



Model/Collection/Dimensions

Finish

Glass



18 Ultra-Slim Aluminum Glass Hinged Door

Material: non-broken bridge aluminum
Thickness: 2.0mm

Applicable scenarios: interior or exterior
Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
8mm clear tempered glass



30 Series Aluminum Glass Hinged Door

Material: non-broken bridge aluminum
Thickness: 2.0mm

Applicable scenarios: interior or exterior
Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
8mm clear tempered glass



68 Series Aluminum Glass Hinged Door

- 1 Material: non-broken bridge aluminum
Thickness: 2.0mm
- 2 Material: broken bridge aluminum
Thickness: 2.0mm

Advantage: Hidden hinge
Available in custom sizes.



Matte black




Sand gray



glossy white

Standard Configuration:
5+25Ar+5mm clear
tempered glass



75 Series Aluminum Glass Hinged Door

- 1 Material: non-broken bridge aluminum
Thickness: 2.0mm
- 2 Material: broken bridge aluminum
Thickness: 2.0mm

Applicable scenarios: interior or exterior
Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+25Ar+5mm clear
tempered glass

PIVOT DOOR SERIES



Note:

1. We do not have inventory; all products are custom-made. Production takes approximately 25-30 business days.
2. Our factory supports customizing any profile color and various glass configurations. If you require a different configuration, please contact our experienced sales staff.



WhatsApp
+86 180.2277.5361



WeChat
ID:MiaoFeng2305



Model/Collection/Dimensions

Finish

Glass



18 Series Ultra-slim Glass Pivot Door

Material: non-broken bridge aluminum
Thickness: 2.0mm

Applicable scenarios: interior or exterior
Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
8mm clear tempered glass



55 Series Glass Pivot Door

1 Material: non-broken bridge aluminum
Thickness: 2.0mm

2 Material: broken bridge aluminum
Thickness: 3.8mm

Applicable scenarios: interior or exterior
Available in custom sizes.



Matte black



Sand gray




glossy white

Standard Configuration:

Option 1:
8mm clear tempered glass

Option 2:
5+12Ar+5mm clear
tempered glass



80 Series Glass Pivot Door

1 Material: non-broken bridge aluminum
Thickness: 2.0mm

2 Material: broken bridge aluminum
Thickness: 3.8mm

Applicable scenarios: interior or exterior
Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:

Option 1:
8mm clear tempered glass

Option 2:
5+12Ar+5mm clear
tempered glass



120 Series Glass Pivot Door

Material: broken bridge aluminum
Thickness: 3.8mm

Applicable scenarios: exterior
Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+12Ar+5mm clear
tempered glass

COMMERCIAL STORE FRONT DOOR SERIES



Note:

1. We do not have inventory; all products are custom-made. Production takes approximately 25-30 business days.
2. Our factory supports customizing any profile color and various glass configurations. If you require a different configuration, please contact our experienced sales staff.



WhatsApp
+86 180.2277.5361




WeChat
ID:MiaoFeng2305



Model/Collection/Dimensions

Finish

Glass



16 Ultra-Slim Series Commercial Doors

Material: non-broken bridge aluminum
Thickness: 2.0mm

Applicable scenarios: indoor office areas,
other indoor commercial uses

Available in custom sizes.



Matte black

Standard Configuration:



Sand gray

Option 1:
8mm clear tempered glass



glossy white

Option 2:
5+12Ar+5mm clear
tempered glass



30 Series Commercial Storefront Doors

Material: non-broken bridge aluminum
Thickness: 2.8mm

Available in custom sizes.



Matte black

Standard Configuration:



Sand gray

Option 1:
8mm clear tempered glass



glossy white

Option 2:
5+12Ar+5mm clear
tempered glass



55 Series Commercial Storefront Doors

Material: non-broken bridge aluminum
Thickness: 2.0mm

Available in custom sizes.



Matte black

Standard Configuration:



Sand gray

Option 1:
8mm clear tempered glass



glossy white

Option 2:
5+12Ar+5mm clear
tempered glass



80 Series Commercial Storefront Doors

1 Material: non-broken bridge aluminum
Thickness: 2.0mm

2 Material: broken bridge aluminum
Thickness: 2.5mm

Available in custom sizes.



Matte black

Standard Configuration:



Sand gray

Option 1:
8mm clear tempered glass



glossy white

Option 2:
5+15Ar+5mm clear
tempered glass

COMMERCIAL AUTOMATIC SLIDING DOOR SERIES



Note:

1. We do not have inventory; all products are custom-made. Production takes approximately 25-30 business days.
2. Our factory supports customizing any profile color and various glass configurations. If you require a different configuration, please contact our experienced sales staff.



WhatsApp
+86 180.2277.5361



WeChat
ID:MiaoFeng2305



Model/Collection/Dimensions

Finish

Glass



Frameless Glass Automatic Sliding Door

Material: non-broken bridge aluminum
Thickness: 2.0mm

Available in custom sizes.



Matte black

Standard Configuration:



Sand gray

Option 1:
10mm clear tempered glass



glossy white

Option 2:
5+0.76pvb+5mm tempered glass



18 Series Ultra-slim Automatic Door

Material: non-broken bridge aluminum
Thickness: 2.0mm

Available in custom sizes.



Matte black

Standard Configuration:
8mm clear tempered glass



Sand gray



glossy white



55 Series Automatic Door

Material: non-broken bridge aluminum
Thickness: 2.0mm

Available in custom sizes.



Matte black

Standard Configuration:
5+9Ar+5mm clear tempered glass



Sand gray



glossy white



80 Series Automatic Door

Material: non-broken bridge aluminum
Thickness: 2.0mm

Available in custom sizes.



Matte black

Standard Configuration:
5+9Ar+5mm clear tempered glass



Sand gray



glossy white

WINDOWS SERIES



Note:

1. We do not have inventory; all products are custom-made. Production takes approximately 25-30 business days.
2. Our factory supports customizing any profile color and various glass configurations. If you require a different configuration, please contact our experienced sales staff.



WhatsApp
+86 180.2277.5361



WeChat
ID:MiaoFeng2305



Model/Collection/Dimensions

Finish

Glass



55 Series Casement Windows

Material: broken bridge aluminum
Thickness: 1.4mm

Advantage: Hidden hinge
Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+9Ar+5mm clear
tempered glass



67 Series Casement Windows

Material: broken bridge aluminum
Thickness: 1.5mm

Advantage: Hidden hinge
Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+12Ar+5mm clear
tempered glass



70 Series Casement Windows

Material: broken bridge aluminum
Thickness: 1.8mm

Advantage: Hidden hinge
Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+20Ar+5mm clear
tempered glass



80 Series Casement Windows

Material: broken bridge aluminum
Thickness: 1.8mm

Advantage: Hidden hinge
Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+20Ar+5mm clear
tempered glass



Model/Collection/Dimensions

Finish

Glass



108 Series Casement Windows

Material: broken bridge aluminum
Thickness: 2.0mm

Advantage: Hidden hinge
Comes with mosquito screens

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+20Ar+5mm clear
tempered glass



120 Series Casement Windows

Material: broken bridge aluminum
Thickness: 1.8mm

Advantage: Hidden hinge
Comes with mosquito screens

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+15Ar+5mm clear
tempered glass

Note:

1. We do not have inventory; all products are custom-made. Production takes approximately 25-30 business days.
2. Our factory supports customizing any profile color and various glass configurations. If you require a different configuration, please contact our experienced sales staff.



WhatsApp
+86 180.2277.5361



WeChat
ID:MiaoFeng2305



80 Series Sliding Windows

Material: broken bridge aluminum
Thickness: 1.4mm

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+12Ar+5mm clear
tempered glass



Model/Collection/Dimensions

Finish

Glass



120 Series Sliding Windows

Material: broken bridge aluminum
Thickness: 1.4mm

Advantage: Hidden hinge
Comes with mosquito screens

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+12Ar+5mm clear
tempered glass



115 Series Sliding Windows

Material: broken bridge aluminum
Thickness: 1.8mm

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+15Ar+5mm clear
tempered glass



125 Series Sliding Windows

Material: broken bridge aluminum
Thickness: 1.8mm

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+25Ar+5mm clear
tempered glass



128 Series Sliding Windows

Material: broken bridge aluminum
Thickness: 1.8mm

Advantage: Hidden hinge
Comes with mosquito screens

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+15Ar+5mm clear
tempered glass



Model/Collection/Dimensions

Finish

Glass

Note:

1. We do not have inventory; all products are custom-made. Production takes approximately 25-30 business days.
2. Our factory supports customizing any profile color and various glass configurations. If you require a different configuration, please contact our experienced sales staff.



WhatsApp
+86 180.2277.5361



WeChat
ID: MiaoFeng2305



55 Series Aluminum Awning Windows

Material: broken bridge aluminum
Thickness: 1.5mm

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+9Ar+5mm clear
tempered glass



67 Series Aluminum Awning Windows

Material: broken bridge aluminum
Thickness: 1.5mm

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+12Ar+5mm clear
tempered glass



70 Series Aluminum Awning Windows

Material: broken bridge aluminum
Thickness: 1.8mm

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+20Ar+5mm clear
tempered glass



Model/Collection/Dimensions

Finish

Glass



80 Series Aluminum Awning Windows

Material: broken bridge aluminum
Thickness: 1.8mm

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+20Ar+5mm clear
tempered glass



108 Series Aluminum Awning Windows

Material: broken bridge aluminum
Thickness: 2.0mm

Advantage: Hidden hinge
Comes with mosquito screens

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+20Ar+5mm clear
tempered glass



120 Series Aluminum Awning Windows

Material: broken bridge aluminum
Thickness: 1.8mm

Advantage: Hidden hinge
Comes with mosquito screens

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+20Ar+5mm clear
tempered glass

Note:

1. We do not have inventory; all products are custom-made. Production takes approximately 25-30 business days.
2. Our factory supports customizing any profile color and various glass configurations. If you require a different configuration, please contact our experienced sales staff.



WhatsApp
+86 180.2277.5361



WeChat
ID: MiaoFeng2305



Model/Collection/Dimensions

Finish

Glass



50 Series Folding Window

Material: broken bridge aluminum
Thickness: 2.0mm

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+15Ar+5mm clear
tempered glass



68 Series Folding Window

Material: broken bridge aluminum
Thickness: 2.0mm

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+15Ar+5mm clear
tempered glass



75 Series Folding Window

Material: broken bridge aluminum
Thickness: 2.0mm

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+15Ar+5mm clear
tempered glass



60 Series Vertical Folding Window

Material: broken bridge aluminum
Thickness: 2.0mm

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
5+15Ar+5mm clear
tempered glass



Model/Collection/Dimensions

Finish

Glass



Customizable Special-Shaped Windows

Material: non-broken bridge aluminum
Thickness: 2.0mm

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
8mm clear tempered glass



Pass-Through Window

Material: non-broken bridge aluminum
Thickness: 2.0mm

Available in custom sizes.



Matte black



Sand gray



glossy white

Standard Configuration:
8mm clear tempered glass

Note:

1. We do not have inventory; all products are custom-made. Production takes approximately 25-30 business days.
2. Our factory supports customizing any profile color and various glass configurations. If you require a different configuration, please contact our experienced sales staff.



WhatsApp
+86 180.2277.5361



WeChat
ID: MiaoFeng2305



Foshan Miaofeng Building Materials Co., Ltd.

Tel: +86 180.2277.5361

Company Email: zeck@miaofengwindows.com

Address: Shishan Town, Nanhai District, Foshan City

